

# ARTICLE SAFETY DATA SHEET

Print date: 12-May-2016 Revision Number: 3 Revision date: 12-May-2016

# 1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY

Trademark: LEXAN™ Sheet

LEXAN™ Film
ILLUMINEX™ sheet
GEPAX™ Sheet
VEROLITE™ Sheet
XYLEX™ Film

GEN-SFS-PC

Product Code:

Product Description: Polycarbonate based film or sheet

**Product Type:** Commercial Product

Recommended use: May be used as received, processed or thermoformed to produce

other articles, or as a component of other industrial products.

Company: SABIC Innovative Plastics US LLC

One Plastics Avenue Pittsfield, MA 01201 USA

(413) 448-5400 www.sabic.com

**Emergency Telephone Number:** 

**Emergency Transportation/CHEMTREC** 

(24 HOUR):

800-424-9300 800 424-9300 (USA)

+1 703-527-3887 (globally, outside USA)

E-mail:

Website Address:

productinguiries@sabic.com

www.sabic.com



The additives in this product (if any) are bound in a thermoplastic resin matrix. In accordance with GHS for the classification of the product, the hazard potential may be assessed with respect to the physico-chemical form and/or bioavailability of the individual components in the thermoplastic resin.

Where GHS classifications are shown below, these are based on the individual components in the thermoplastic resin matrix. Under the typical use conditions for the resin, these hazardous components are unlikely to contribute to workplace exposure. Please read the entire safety data sheet and/or consult an EHS professional for a complete understanding.

#### Classification

#### **OSHA Regulatory Status**

This product is an article, and is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### GHS-Labeling

Emergency Overview		
Not classified		
<b>A</b>	DI - 1 - 1 Oct 1 - 0 11 1	
Appearance: Sheet or film	Physical State: Solid	Odor: None or slight

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Not applicable

Other hazards which do not result in classification:

#### **SABIC Emergency Overview**

· Plastic film or sheet

**Processing Issues:** 

- · Can burn in a fire creating dense, toxic smoke
- Molten plastic can cause severe thermal burns
- Fumes produced during melt processing may cause eye, skin, and respiratory tract irritation. Severe over-exposure may result in nausea, headache, chills, and fever. See below for additional effects.
- Secondary operations, such as grinding, sanding, or sawing can produce dust which may present an explosion or respiratory hazard.

Other Information: OSHA, IARC and/or NTP have listed carbon, titanium dioxide, crystalline silica (quartz),

respirable glass and certain heavy metals, present in some colorants and fillers, as carcinogens. If these materials are present in this product at significant quantities, they are shown in Section 2/3. These materials are essentially bound to the plastic matrix and are unlikely to contribute to workplace exposure under recommended processing conditions. Processing vapors may cause irritation to the eyes, skin, and respiratory tract. In cases of severe exposure, nausea and headache can also occur. Grease-like processing vapor

condensates on ventilation ductwork, molds, and other surfaces can cause irritation and

injury to skin.

Aggravated Medical Conditions: MEDICAL RESTRICTIONS: There are no known health effects aggravated by exposure to

this product. However, certain sensitive individuals and individuals with respiratory impairments may be affected by exposure to components in the processing vapors.

Product Name: Generic SFS-PC LEXAN™ Film/Sheet Page 2 of 7 Revision date: 12-May-2016



# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Product Type** 

Article

For the full text of the H-statements, if mentioned in this section, see Section 16.

The non-hazardous components and exact percentage (concentration) of the composition have been withheld as a trade secret.

This product consists primarily of high molecular weight polymers which are not expected to be hazardous.

# 4. FIRST AID MEASURES

If Inhalation: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. If symptoms persist, call a physician. For hot product, immediately immerse in or flush affected area On skin contact: with large amounts of cold water to dissipate heat. Cover with clean cotton sheeting or gauze and get prompt medical attention. Immediately flush with plenty of water. After initial flushing, On contact with eyes: remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist. On ingestion: No hazards which require special first aid measures. Processing vapors inhalation may be irritating to the respiratory **Precautions:** tract. If symptoms are experienced remove victim from the

medical advice.

source of contamination or move victim to fresh air and obtain

Product Name: Generic SFS-PC LEXAN™ Film/Sheet Page 3 of 7 Revision date: 12-May-2016



# 5. FIRE-FIGHTING MEASURES

Autoignition Temperature: Not applicable

**Explosive Limits** 

upper:Not applicablelower:Not applicable

Suitable Extinguishing Media: Use dry chemical, CO2, water spray or "alcohol" foam. Water is

the best extinguishing medium. Carbon dioxide and dry chemical are not generally recommended because their lack of cooling capacity may permit re-ignition on larger resin fires (blobs, drools,

etc.).

Unsuitable Extinguishing Media for Safety Reasons: Do not use a solid water stream as it may scatter and spread fire.

Hazards from Combustion Products: Fire will produce dense black smoke containing hazardous

combustion products, carbon oxides, hydrocarbon fragments.

Special Protective Equipment for Firefighters: Do not enter fire area without proper protection including

self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

**Specific Hazards:** Take precautionary measures against static discharges. Thermal

decomposition can lead to release of irritating gases and vapors. Dust formed by operations such as cutting or grinding may form

an explosive mixture in air.

#### 6. ACCIDENTAL RELEASE MEASURES

Clean up: Gather and store in a closed container pending a recyclability or

waste disposal evaluation.

Personal Precautions: See section 8.

**Environmental Precautions:** Dispose of in compliance with all Federal, state and local laws

and regulations.

#### 7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety

practices. Provide for appropriate exhaust ventilation and dust collection at machinery. Avoid dust formation. Accumulation of waste films, sheets and/or masking may create a slipping hazard.

**Storage:** Keep away from heat sources and sources of ignition.

Product Name: Generic SFS-PC LEXAN™ Film/Sheet Page 4 of 7 Revision date: 12-May-2016



# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Measures to** 

Reduce Exposure:

Handle in accordance with good industrial hygiene and safety practices. Processing fume condensate may be a fire hazard and toxic; remove periodically from exhaust hoods, ductwork, and

other surfaces using appropriate personal protection.

**Hand Protection:** 

Protective gloves should be worn

**Eye Protection:** 

Safety glasses

**Respiratory Protection:** 

When using this product at elevated temperatures, implement engineering systems, administrative controls or a respiratory protection program (including a respirator approved for protection from organic vapors, acid, gases, and particulate matter) if processing vapors are not adequately controlled or operators experience symptoms of overexposure. If dust or powder are produced from secondary operations such as sawing or grinding,

use a respirator approved for protection from dust.

**Body Protection:** 

Long sleeved clothing

**Hygiene Measures:** 

When using, do not eat, drink or smoke.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** 

Appearance:

Color:

Odor:

Solid

Sheet or film

Same as color code

None or slight

Melting point/range:

**Autoignition Temperature:** 

**Explosive Limits** 

upper:

Not applicable

lower:

Not applicable

This product does not exhibit a sharp melting point but softens

gradually over a wide range of temperatures.

Not applicable

# 10. STABILITY AND REACTIVITY

Stability:

Stable.

**Conditions to Avoid:** 

Do not exceed maximum temperatures recommended in the product literature.

**Hazardous Decomposition** 

**Products:** 

Process vapors under recommended processing conditions may include trace levels of

hydrocarbons, phenols, alkylphenols, diarylcarbonates.

Product Name: Generic SFS-PC LEXAN™ Film/Sheet Page 5 of 7 Revision date: 12-May-2016



# 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity** 

Other information on acute toxicity:

There are no toxicological hazards associated with this product

**Chronic Toxicity:** 

There are no toxicological hazards associated with this product.

**Special Studies:** 

No Information.

# 12. ECOLOGICAL INFORMATION

Other information:

Not expected to end up in the environment under conditions of intended use and appropriate disposal or recycling.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal:

Recycling is encouraged. Landfill or incinerate in accordance with federal, state and local requirements. Collected processing fume condensates and incinerator ash should be tested to determine waste classification.

**US EPA Waste number:** 

None

# 14. TRANSPORT INFORMATION

**Transport Classification:** 

Not regulated as hazardous for shipment, unless noted below, under current transportation guidelines.

DOT

ADR/RID/ADN

**IMDG** 

**ICAO** 

IATA-DGR

**MEXICO** 

CANADA/TDG

**ANTT 420** 



# 15. REGULATORY INFORMATION

#### International Inventories:

Film and sheet products are articles, exempt from registration or notification in those countries that have national chemical inventories.

#### CERCLA/SARA 311/312/313:

This product is a non-hazardous article and therefore not subject to the requirements of Title III of SARA (Emergency Planning and Community Right-To-Know Act).

#### Canada:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

#### WHMIS hazard class:

Non-controlled, article

#### RoHS EU Directive 2011/65/EU:

This product is in compliance with the EU RoHS Directive 2002/95/EC. The following are not intentionally added during the manufacture of this product: a - cadmium and its compounds, b - lead and its compounds, c - mercury and its compounds, d - hexavalent chromium compounds, e - polybrominated biphenyls (PBBs), f - polybrominated diphenyl ethers (PBDEs, including Deca-BDE).

# HMIS Rating Health: 0 Flammability: 1 Reactivity: 0

### **16. OTHER INFORMATION**

SABIC and brands marked with <sup>™</sup> are trademarks of SABIC or its subsidiaries or affiliates.

#### SDS Scope:

USA: Conforms to 29 CFR 1910.1200 (2012 OSHA Hazard Communication Standard) This document is also applicable in other countries and regions.

#### Prepared by: Product Stewardship & Toxicology

DISCLAIMER: This Safety Data Sheet [SDS] information is provided based on the Hazard Communication Regulations for your region or country and for the use of the persons required to receive this information under those regulations. The information is neither designed nor recommended for any other use or for use by any other person, including for compliance with other laws. SABIC Innovative Plastics does not warrant the suitability for use of this SDS for any other material or product not specifically identified herein. SABIC Innovative Plastics does not warrant the accuracy or authenticity of this SDS unless it has been obtained directly from SABIC Innovative Plastics, or posted or viewed on a SABIC Innovative Plastics website. Modification of this SDS, unless specifically authorized by SABIC Innovative Plastics, is strictly prohibited. This SDS is based on information that is believed to be reliable, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. Since the use of this material is not under SABIC Innovative Plastics' control, each user is responsible for making its own determination as to the safe and proper handling of this material in its own particular use of this material. SABIC INNOVATIVE PLASTICS MAKES NO REPRESENTATION OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each user should read and understand this information and incorporate it into individual site safety programs as required by applicable hazard communication standards and regulations.

**End of Safety Data Sheet** 

Product Name: Generic SFS-PC LEXAN™ Film/Sheet Page 7 of 7 Revision date: 12-May-2016